



കേരള ഗസറ്റ് KERALA GAZETTE

ആധികാരികമായി പ്രസിദ്ധപ്പെടുത്തുന്നത്
PUBLISHED BY AUTHORITY

വാല്യം 3 Vol. III	തിരുവനന്തപുരം, ചൊവ്വ Thiruvananthapuram, Tuesday	2014 ഡിസംബർ 30 30th December 2014 1190 ധനു 15 15th Dhanu 1190 1936 പൗഷം 9 9th Pousha 1936	നമ്പർ No.
			51

PART III

Stores Purchase

Forest Department

ദർഘാസ് പരസ്യം

നമ്പർ പി.സി.പി-42656/2014.

2014 ഡിസംബർ 9.

കേരള വനം വകുപ്പിലെ വിവിധ ഓഫീസുകളിലെ ഉപയോഗത്തിനായി വിശ്വസ്ത സ്ഥാപനങ്ങളിൽനിന്നും യു. പി. എസ്. ട്രൂബുലർ ബാറ്ററികൾ (Under buy-back system) (3 വർഷം വാറണ്ടിയും), ക്യാമറ ട്രാപ്പുകൾ (3 വർഷം വാറണ്ടിയും 2 വർഷം AMC-യും) ഇതോടൊപ്പം ഉള്ളടക്കം ചെയ്ത അനക്സറുകളിൽ പറയുന്നവ വാങ്ങുന്നതിനായി അഡീഷണൽ പ്രിൻസിപ്പൽ ചീഫ് കൺസർവേറ്റർ ഓഫ് ഫോറസ്റ്റ് (എഫ്.എം.ഐ.എസ്) മുദ്രവച്ചുള്ള ദർഘാസുകൾ പ്രത്യേകമായി ക്ഷണിക്കുന്നു. ഈ പരസ്യത്തിനോടൊപ്പം ഉള്ളടക്കം ചെയ്ത അനക്സറിൽ പറയുന്ന നിലവാരത്തിലുള്ളതും നിശ്ചിത യോഗ്യതകളുമുള്ള ഉപകരണമാണെന്ന് ഉറപ്പുവരുത്തേണ്ടതാണ്.

ക്രമ നമ്പർ ദർഘാസ് നമ്പർ, ഇനം, ഏകദേശ എണ്ണം, അടങ്കൽ തുക (ലക്ഷം) നിരത ദ്രവ്യം (1%)

- 1 PCP-42656/2014-40 AH Tubular Batteries-128 Nos.
60 AH Tubular Batteries- 48 Nos.—
12.48 12,480
- 2 PCP-29633/2014- ക്യാമറ ട്രാപ്പ്സ് (പുനർ ദർഘാസ്)-60- 13.00 13,000

ടെണ്ടർ ഫോറത്തിന്റെ വില:

ഒറിജിനൽ-ക്രമനമ്പർ 1-ന് 1,995, ക്രമനമ്പർ 2-ന് 2,100

ഡ്യൂപ്ലിക്കേറ്റ്-ക്രമനമ്പർ 1-നും 2-നും 1,050

ദർഘാസ് പ്രമാണം സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—9-1-2015 ഉച്ചയ്ക്കുശേഷം 2 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—9-1-2015 ഉച്ചയ്ക്കുശേഷം 3 മണി.

വിതരണം ചെയ്യേണ്ടുന്ന സമയം—വിതരണത്തിനുള്ള ഉത്തരവ് കിട്ടി മുപ്പത് ദിവസത്തിനകം.

പണം നൽകുന്ന രീതി—വിതരണം ചെയ്ത തീയതി മുതൽ രണ്ടാഴ്ചയ്ക്കുള്ളിൽ.

വിതരണം ചെയ്യേണ്ടുന്ന സ്ഥലം—വിതരണത്തിനുള്ള ഉത്തരവിനോടൊപ്പം നൽകുന്നതായിരിക്കും.

ദർഘാസുകൾ അയയ്ക്കുന്ന കവറുകളിൽ “ടെണ്ടർ ഫോർ ദ സപ്ലൈ ഓഫ് യു.പി. എസ്. ട്യൂബുലർ ബാറ്ററികൾ, ക്യാമറാ ട്രാപ്പുകൾ” എന്ന് രേഖപ്പെടുത്തുകയും അഡീഷണൽ പ്രിൻസിപ്പൽ ചീഫ് കൺസർവേറ്റർ ഓഫ് ഫോറസ്റ്റ് (എഫ്.എം.ഐ.എസ്.), മൂന്നാം നില, ഫോറസ്റ്റ് ഹെഡ് ക്വാർട്ടേഴ്സ്, വഴുതയ്ക്കാട്, തിരുവനന്തപുരം-695 014 എന്ന മേൽവിലാസം രേഖപ്പെടുത്തിയിരിക്കണം.

മുകളിൽ പറഞ്ഞിരിക്കുന്ന ഉപകരണങ്ങളുടെ എണ്ണം ഏകദേശം മാത്രമാണ്. ഉപകരണങ്ങളുടെ എണ്ണം കൂട്ടാനും കുറയ്ക്കാനും അല്ലെങ്കിൽ വാങ്ങാതിരിക്കാനുമുള്ള തീരുമാനമെടുക്കുന്നതിന് വനം വകുപ്പിന് അവകാശമുണ്ട്. ദർഘാസ് ഫോറം മേൽപ്പറഞ്ഞ വിലയൊടുക്കി പ്രവൃത്തി ദിവസങ്ങളിൽ അഡീഷണൽ പ്രിൻസിപ്പൽ ചീഫ് കൺസർവേറ്റർ ഓഫ് ഫോറസ്റ്റ് (എഫ്.എം.ഐ.എസ്.)-ന്റെ ഓഫീസിൽനിന്നും വാങ്ങാവുന്നതാണ്. ഇന്റർനെറ്റിൽനിന്നും ദർഘാസ് ഫോറം ഡൗൺലോഡ് ചെയ്യുന്നപക്ഷം ദർഘാസിനോടൊപ്പം അഡീഷണൽ പ്രിൻസിപ്പൽ ചീഫ് കൺസർവേറ്റർ ഓഫ് ഫോറസ്റ്റ് (എഫ്.എം.ഐ.എസ്.), ഫോറസ്റ്റ് ഹെഡ്ക്വാർട്ടേഴ്സ്, വഴുതയ്ക്കാട്, തിരുവനന്തപുരം എന്ന പേരിൽ എടുത്ത ഡിമാന്റ് ഡ്രാഫ്റ്റ് ഉള്ളടക്കം ചെയ്യേണ്ടതാണ്.

ദർഘാസ് ഫോറം കൈമാറ്റം ചെയ്യാൻ പാടുള്ളതല്ല. താമസിച്ച് ലഭിക്കുന്ന ദർഘാസുകൾ, നിശ്ചിത ദർഘാസ് ഫോറത്തിലല്ലാതെ ലഭിക്കുന്ന ദർഘാസുകൾ, ദർഘാസ് ഫോറത്തിന്റെ വിലയോ ഇ.എം.ഡി.യോ ഇല്ലാതെ ലഭിക്കുന്ന ദർഘാസുകൾ എന്നിവ നിരസിക്കുന്നതാണ്. ദർഘാസ് ഫോറം അഡീഷണൽ പ്രിൻസിപ്പൽ ചീഫ് കൺസർവേറ്റർ ഓഫ് ഫോറസ്റ്റ് (എഫ്.എം.ഐ.എസ്.)-ന്റെ ഓഫീസിൽനിന്നും പ്രവൃത്തി ദിവസങ്ങളിൽ വാങ്ങാവുന്നതാണ്. ഏതെങ്കിലും കാരണവശാൽ ദർഘാസ് തുറക്കാൻ നിശ്ചയിച്ചിരിക്കുന്ന ദിവസം അവധിയായി വരികയാണെങ്കിൽ തൊട്ടടുത്ത പ്രവൃത്തി ദിവസം ദർഘാസ് തുറക്കുന്നതായിരിക്കും.

ഓരോ ഉപകരണത്തിന്റെ വിലയും വാറണ്ടി സമയത്തിനു ശേഷമുള്ള ആനുവൽ മെയിന്റനൻസ് കോൺട്രാക്റ്റ് തുകയും പ്രത്യേകം സമർപ്പിക്കേണ്ടതാണ്.

ദർഘാസ് ഫോറങ്ങൾ www.forest.kerala.gov.in എന്ന വെബ്സൈറ്റ് വിലാസത്തിൽ നിന്നും ലഭ്യമാണ്.

No. PCP-42656/2014. 9th December 2014.

Sealed tenders are invited from reputed firms for the Supply, Installation, Testing and Commissioning of UPS Tubular Batteries under buy-back system (warranty for three years) and Camera Traps (including warranty for three years and further AMC for 2 years) as per annexures enclosed for use in Various Offices of the Kerala Forest Department (KFD). The equipment should conform to the technical standards and specifications mentioned to this notice. The other details regarding this tender are as follows.

Sl. No.	Tender No., Name of Item, Approximate Quantity with PAC (in lakhs)	EMD (1%) in `
1	PCP-42656/2014 —40 AH Tubular Batteries—128 Nos., 60 AH Tubular Batteries—48 Nos.—` 12.48	12,480
2	PCP-29633/2014 —Camera Traps (Re-tender)—60 Nos.—` 13	13,000

Cost of tender form:

Original —` 1,995 for Sl. No. 1 and ,` 2,100 for Sl. No. 2.

Duplicate—` 1,050 for Sl. Nos. 1 and 2.

Last date and time for receipt of tender—Till 2 p. m. on 9-1-2015.

Opening date and time of tender —At 3 p. m. on 9-1-2015 in the presence of tenderers or their authorized representatives who may be present at that time.

Period of supply—Within thirty days from the date of supply order.

Mode of payment—Within two weeks from the date of delivery.

Place to be delivered—Various Offices of the Kerala Forest Department will be mentioned in the supply order.

The envelops containing the tender should bear the superscription “Supply, Installation, Testing, Commissioning of UPS Tubular Batteries / Camera Traps” and should be addressed to the Additional Principal Chief Conservator of Forests (FMIS) III Floor, Forest Headquarters, Vazhuthacaud, Thiruvananthapuram, Pin-695 014.

The number of equipment mentioned above is just an approximate. The KFD will be at liberty to increase or decrease the number to be procured or may decide not to procure at all. Tender forms can be purchased from the office of the undersigned or a DD drawn in favour of the Addl. Principal, Chief Conservator of Forests (FMIS), Forest Headquarters, Vazhuthacaud, Thiruvananthapuram payable at Thiruvananthapuram shall be enclosed along with the tenders in cases, where tender forms are downloaded from the website (www.forest.kerala.gov.in) and used.

The tender forms are not transferable. The tenders received late or in any form other than in the prescribed tender form and without the cost of tender document and EMD are liable to be rejected. The prescribed tender form can be had from the office of the undersigned during office hours. If the day of opening tender happens to be a holiday, the tender will be opened on the next working day.

The unit price of equipment and the rate for Annual Maintenance Contract beyond the warranty period are to be quoted separately.

Tender forms are available in the website: www.forest.kerala.gov.in

ANNEXURE-I

UPS Tubular Batteries

Sl. No.	Description	Quantity in Nos.
---------	-------------	------------------

1	40 AH UPS Tubular Batteries	128
2	60 AH UPS Tubular Batteries	48

* All the batteries should be of ISO 9001 and 14001 standard.

* The firm should make necessary steps to connect the supplied batteries to the UPSS successfully.

* All batteries should have a warranty for a period of three years.

Buy-back rates of old UPS should be mentioned separately.

ANNEXURE-II

Camera Traps

Resolution	..	5 MP or more
Trigger speed	..	Faster
Detection Method	..	Centered Subject Technology
Illumination Type	..	Flash
Illumination range	..	Over 100 feet
Day Images	..	Full Colour
Night Images	..	Full Colour
Video length	..	30 Seconds or more
Video Sound Recording	..	Yes
Video mode	..	Day
Internal memory	..	120 MB stores over 100 images
SD Card	..	Up to 32 GB
Imprint	..	Date, time and temperature
Battery	..	4 D Rechargeable batteries
Battery charger	..	Yes
Battery life	..	Tens of thousands of images
Ports	..	USB
Accessories	..	Strap and USB cable
Warranty	..	3 years
AMC	..	2 years

(Sd.)

*Additional Principal
Chief Conservator of
Forests (FMIS).*

(For and on behalf of
the Governor of Kerala)

Forest Headquarters,
Vazhuthacaud,
Thiruvananthapuram.